




"MANUFACTURERS OF THE MOST COMPLETE LINE OF FLUX HANDLING EQUIPMENT IN THE WORLD"

34 FRUIT STREET
SHREWSBURY, MA 01545 (U.S.A.)
TELEPHONE: (508) 842-2224
FAX: (508) 842-3893
WEBSITE:
WWW.WELDENGINEERING.COM
EMAIL:
SALES@WELDENGINEERING.COM

FIGURE MILL-35

FIG. MILL-35: PIPE MILL O.D. CONFIGURATION

PIPE MILL OR OTHER HEAVY WELDING APPLICATION. SYSTEM SHOWN IS TANDEM WELDING HEADS. RECOVERY SYSTEM USES THE MM-5000X-MILL VACUUM WITH FH-100-E/P-MILL OR HEATED HFH-100-E/P HOPPER / SEPARATOR. (TYPICAL COMPONENT CONFIGURATION).



SYSTEM ORDER LIST:

- 1@ MM-5000X-MILL (VACUUM)
(220, 380-415, 460, 575 VOLTS/3PH/50 OR 60 HZ)
- 1@ FD-55 (DUST DRUM) WITH LD-55 (LID ASSEMBLY)
- 1@ MM-5000X-MILL MOUNTING FRAME (OPTIONAL)
- 1@ FH-100-E/P-MILL OR HFH-100-E/P-MILL (HEATED HOPPER/SEPARATOR)
(OPTIONAL ELECTRONIC HI/LOW LEVEL SENSOR WITH ALARM, LARGER HOPPER AND DUAL INLETS AND/OR OUTLETS ARE AVAILABLE)
- 1@ MAGSEP-100-E/P (MAGNETIC SEPARATOR)
- 1@ FHM-1 OR FHM-1ADJ (HOSE MOUNTING BRACKET)
- 1@ PIPE MILL FLUX PICK-UP NOZZLE (CONSULT FACTORY FOR DETAILS)
- 1@ 3 1/2" DISPENSING HOSE
- 1@ 1 1/2" RECOVERY HOSE
- 1@ 2" VACUUM HOSE (UP TO 100 FT.)

BULLETIN: (PAGE 35) TB-MM708
FILE: 35-MILL~FH-100-EP-MILL TB-DRT 7-31-2008.CAD
REVISED: MILLFD55.CAD (7-16-96 TB-MM294)
WELD ENGINEERING CO., INC.
DRT 9-9-2008